



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| | | | | |
|--|-------------|----------------------|------------------------|------------------|
| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
| 10/731,260 | 12/05/2003 | Gunar Lorenz | CVZ-020 | 4703 |
| 959 7590 04/03/2006 LAHIVE & COCKFIELD 28 STATE STREET BOSTON, MA 02109 | | | EXAMINER DINH, PAUL | |
| | | | ART UNIT 2825 | PAPER NUMBER |
| DATE MAILED: 04/03/2006 | | | | |

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/731,260

Applicant(s)

LORENZ, GUNAR

Examiner

Paul Dinh

Art Unit

2825

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 March 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-57 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-57 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 05 December 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____

- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

Application/Control Number: 10/731,260
Art Unit: 2825

DETAILED ACTION

This is a response to the amendment + election + remarks filed on 3/15/06.

The examiner acknowledges that the claims in group II have been amended to depend on group I.

According to the remarks, the examiner agrees with the applicants that independent system claim 51 (in group III) is a corresponding/similar language/claim to independent method claims 1 and 16 (in groups I).

The applicant request for consideration/prosecution of all claims 1-57, as amended, is approved by the examiner in light of the amendment + election + remarks.

Claim Objections

Claims 1 and 16 are objected to because "a Micro Electro-Mechanical Systems" should be changed to "a Micro Electro-Mechanical System". Correction is required.

Claim Rejections - 35 USC § 112

*The following is a quotation of the second paragraph of 35 U.S.C. 112:
The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter, which the applicant regards as his invention.*

Claims 2-3 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 2-3 are rejected because "the shape" in claim 2 and "the parameters" in claim 3 lack antecedent basis.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

*A person shall be entitled to a patent unless –
(b) The invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.*

Claims 1-57 are rejected under 35 U.S.C. 102(b) as being anticipated by the prior Art of record "AN ENVIRONMENT FOR DESIGN AND MODELING OF ELECTRO-MECHANICAL MICRO-SYSTEMS" (*Journal of Modeling and Simulation of Microsystems*, Vol. 1, No. 1, Pages 65-76, 1999)

M.H. Zaman†, S.F. Bart, and J.R. Gilbert
Microcosm Technologies, Inc., Cambridge, MA 02142.

N.R. Swart, and M. Mariappan,
Analog Devices, Inc., Cambridge, MA 02139.

(Claim 1 and similarly recited (similar/corresponding language) claims 16, 51)

Providing a system model of a MEMS (*see one or more of: abstract, fig 1-3, 5-10, sections 1-5, 9-10*) displayed to a user (*see one or more of: MEMS CAD design environment, GUI/user in fig 2, sections 3-4*) in a schematic view (*see one or more of: abstract, fig 2-3, 13, 15 sections 2-3, 10*), said model including a plurality of model components;

Generating a graphical 3D view of said model depicted by the schematic view for display to the user (*see one or more of: abstract, sections 1.1, 4.2, 7-10, fig 5-10, 12*); and

Cross-referencing said 3D view and said schematic view so that changes in the 3D view are reflected in the model components depicted in the schematic view and changes in the model components depicted in the schematic view are reflected in the 3D view (*see one or more of: sections 1.1, 2, 4.2, 7-10, fig 2, 5-10, 13-15*)

(Claims 2, 17) wherein the 3D view displays one of the shape, orientation and position of said model (fig 5-10, 12)

(Claims 3, 18) wherein the displayed 3D view depicts a position of at least one mechanical connection point in said model, said connection point defined by the parameters of connected mechanical parts (fig 2-4, 6-10).

(Claims 4, 6, 19, 21) selecting a model component depicted in said schematic/3D (fig 3, 5-10, 12-15); indicating visually that a model component in said schematic/3D view has been selected (fig 3, -10, 12-15); and indicating visually a corresponding (model) component in said 3D/schematic view (fig 3, 5-10, 12-15).

(Claims 5, 7, 20, 22) wherein highlighting is used to indicate visually the selected model component in said 3D/schematic view and the corresponding model component in said 3D/schematic view (fig 2, 5-10).

(Claims 8, 23) analyzing programmatically said system model (section 5-9); and indicating visually errors (sections 7-9) in said system model on at least one model component displayed in said 3D graphical view (sections 7-9).

(Claims 9, 24) altering said 3D view in response to a user command (fig 2, 10 *sections 3-4*).

(Claims 10, 25) providing a 3D view generator associated with at least one model component depicted in said schematic view, said 3D view generator including information used to programmatically generate a 3D view of a model component (*see one or more of: fig 2, 5-10, 13-15*); analyzing programmatically said system model to identify model components associated with a 3D view generator (*see one or more of: fig 2, 5-10, 13-15*); and using at least one of said associated view generators to create a 3D representation of said model component in said 3D view (*see one or more of: fig 2, 5-10, 13-15*).

(Claims 11, 26) providing a symbolic view of the model depicted in said schematic that contains a list of component names (fig 2, sections 2-3, 9), said list arranged in a hierarchical order of model components and sub-components (fig 2, sections 2-3, 9).

(Claims 12-13, 27-28) synchronizing said symbolic view with at least one of the display of said schematic view and the 3D view such that a selection of a model component in said symbolic view is visually indicated in the symbolic view and at least one of the display of the schematic view and the 3D view (fig 2-3, 5, 7-10, 13, 15); such that a selection of a model component in at least one of the display of the schematic view and the 3D view is visually indicated in at least one of the display of the schematic view and the 3D view, and in the symbolic view (fig 2-3, 5, 7-10, 13, 15)

(Claims 14, 29) wherein at least some data for said model components displayed in said 3D view is retrieved from a netlist (fig 5, section 2, 4.2)

(Claims 15, 30) wherein the plurality of model components in the system model are selected from a MEMS component library (fig 2, section 2-3).

(Claims 31, 41) providing simulation results from simulation of a system model of a MEMS (*see one or more of: abstract, fig 1-3, 5-10, sections 1-5, 9-10*), said system model having a plurality of model components; providing a graphical 3D view of said system model (*see one or more of: abstract, sections 1.1, 3, 4.2, 7-10, fig 5-10, 12*); and displaying the results of said simulation in said 3D view, said 3D view being progressively altered to reflect the simulation results during different points in said simulation (*see one or more of: sections 1.1, 4.2, 7, fig 5, 7-8*).

(Claims 32-42) wherein said system model includes at least one optical component (Sections 7-8)

(Claims 33-34, 43-44) said system model includes at least one mechanical structure (section 1, 3-4, fig 3-4, 6-8, 10, 12-13); wherein the simulation of said mechanical structure involves at least one of displacements, mode shapes and distortion of the mechanical structure (fig 7-8, 10, 12-13).

(Claims 35, 45) wherein said system model includes at least one connection between mechanical components, said connection representing mechanical degrees of freedom of the connected mechanical components (sections 4-8, fig 7, 12, 14, 16, tables 1-3).

(Claims 36-37, 46-47) wherein said simulation results are animated in said 3D view (*see one or more of: abstract, sections 1.1, 4.2, 7-10, fig 5-10, 12*); wherein at least one of the speed and viewing characteristics of the 3D view of the simulation results of said simulation is controlled by user-set parameters (section 3-4);

(Claims 38, 48, 55-56) a simulator able to simulate the execution of the system model depicted in said 3D view (sections 1, 4, 6-7 fig 2, 4-5); and a simulation result visualizer used to display simulation results generated by said simulator to said user by altering the display of said 3D view of said model by altering the appearance of said 3D view to reflect different points in said simulation (sections 1, 4, 6-7 fig 2, 4-5); wherein said simulator (or simulation) is one of a circuit simulator and signal flow simulator (sections 1, 4, 6-7 fig 2, 4).

(Claims 39, 49) associating a 3D view generator with a model component referenced by said system model (section 1, 3-4); analyzing programmatically said system model to identify model components associated with a 3D view generator (section 1, 3-4); and using said 3D view generator to generate the display of the simulation results (section 1, 3-4).

Application/Control Number: 10/731,260

Art Unit: 2825

(Claims 40, 50) wherein the different points in said simulation at which the simulation results are displayed represent at least one of a time increment, one of a series of frequencies, or a value in a series of model parameter values (section 1, 4, 6).

(Claims 52-54) further comprising at least two views of said system model (section 1, 4-5, 7), said 3D view of said model and a symbolic view providing a hierarchical listing of components and sub-components in said model (section 4, fig 2) wherein at least two of said views are cross-referenced such that the selection of a component in one view causes the indication of the selection of the corresponding component in one of said other views (section 1, 4-5, 7); wherein the view characteristics of said 3D view of said model are configurable by a user (section 3-4).

(Claim 57) wherein the display of said simulation results to a user is configurable by a user to adjust at least one display characteristic of the simulation results (sections 3-4).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul Dinh whose telephone number is 571-272-1890. If attempts to reach the examiner by telephone are unsuccessful, the examiner's Supervisor, Jack Chiang can be reached on 571-272-7483. The fax number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

PAUL DINH
PRIMARY EXAMINER

